

Purchasing Receipts

Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200
Fax 613 632-5246



PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO040472	MCN001-VU	31	1	2% 10 Net 30	M6061T6TR1.5X1.0W125	6061-T6 Rect Tube 1.5 X 1.0 X .125W : MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 RECTANGULAR TUBING PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft				24	7/24/2018	24		S095912	Stock	7/20/2018	\$ 5.83 / ft	5		\$140.00	McMaster-Carr Supply Co.
										Total:		24									\$140.00

Plex 7/25/2018 8:26 AM dart.Tollis.Andrew



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO040472

Supplier: MCM001-VU
McMaster-Carr Supply Co.
P.O. Box 7690
Chicago, IL 60680-7690 USA
Phone: 330 995 5500
Fax: 330 995 9600

PO No: PO040472

PO Date: 7/12/18

Due Date: 7/17/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED
JUL 13 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: 2% 10 Net 30

Freight Terms:

Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	180704	90133A017	100/pk	Washer D3645-1 receive ea	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.1033/Ea	\$10.33
2	180620	59915K274		Rod End Bearing D4777-1	Firmed	-	7/17/18	20 pcs	0 pcs 20x	20 pcs	\$17.14/pcs	\$342.80
3		92865A221	5/pk	TBD	Firmed	-	7/17/18	10 Ea	0 Ea 10x	10 Ea	\$23.52/Ea	\$23.52
4		2044T47	4 ft long	Tube Ø1.09	Firmed	-	7/17/18	16 ft	0 ft 16x	16 ft	\$0.605/ft	\$9.68
Line Item Note 4 pcs of 4 ft												
5		2044T67	50/pk	Cap Ø1.09 receive ea	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.2354/Ea	\$23.54
6		30125T403	1/pk	Turn Buckle Body	Firmed	-	7/17/18	12 pcs	0 pcs	12 pcs	\$1.95/pcs	\$23.40
7		3896T31	50/pk	Ferule 1/16 X 3/8" - Aluminum	Firmed	-	7/17/18	500 Ea	0 Ea 500x	500 Ea	\$0.1312/Ea	\$65.60
8		5051K431	5051K432 10' per length	Adhesive Felt Strip, 1 x 1/16	Firmed	-	7/17/18	10 ft	0 ft 10x	10 ft	\$1.20/ft	\$12.00
9		5051K481	5051K482 10 ft length	Adhesive Felt Strip, 1.5 x 1/16	Firmed	-	7/17/18	10 ft	0 ft 10x	10 ft	\$1.79/ft	\$17.90
10		51495K116	1/pk	COUPLING 1/2" NCKL PLTD BRASS	Firmed	-	7/17/18	35 Ea	0 Ea 35x	35 Ea	\$7.78/Ea	\$272.30
11		75935A23	1 roll 15 ft	Tape, 0.045 x 1 x 22 w/Adhesive	Firmed	-	7/17/18	15 ft	0 ft 15x	15 ft	\$2.444/ft	\$36.66
12		90128A263	100/pack	Socket Head Cap Screw, M6 X 1mm X 16mm	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.1036/Ea	\$10.36
13		90592A028	100/pk	Hex Nut, Steel, M12 X 1.75mm	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.1354/Ea	\$13.54
14		91247A593	25/pk	Hex Head Cap Screw	Firmed	-	7/17/18	25 Ea	0 Ea 25x	25 Ea	\$0.2812/Ea	\$7.03
15		91255A626	25/pk	Socket Button Head Cap Screw	Firmed	-	7/17/18	25 Ea	0 Ea 25x	25 Ea	\$0.3308/Ea	\$8.27

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
16		91585A208	91585A829 5/pk	Dowel Pin M8 x 40mm receive ea	Firmed	-	7/17/18	55 Ea	0 Ea 55x	55 Ea	\$2.154/Ea JUL 18 2018	\$118.47 mel
17		91590A117	10/pk	External Snap Ring .375	Firmed	-	7/17/18	50 Ea	0 Ea 50x	50 Ea	\$0.836/Ea JUL 18 2018	\$41.80 mel
18		91595A034	50/pk	Dowel Pin, M2 X 20mm	Firmed	-	7/17/18	50 Ea	0 Ea 50x	50 Ea	\$0.2204/Ea JUL 18 2018	\$11.02 mel
19		91595A142	25/pk	Dowel Pin Ø3mm x 40mm receive ea	Firmed	-	7/17/18	175 Ea	0 Ea 175x	175 Ea	\$0.386/Ea JUL 18 2018	\$67.55 mel
20		92373A251	50/pk	Slotted Spring Pin receive ea	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.2148/Ea JUL 18 2018	\$21.48 mel
21		9263K173	25/pk	O-Ring receive ea	Firmed	-	7/17/18	25 Ea	0 Ea 25x	25 Ea	\$0.3512/Ea JUL 18 2018	\$8.78 mel
22		92905A225	25/pk	Extended Point Set Screw, Dog Point receive ea	Firmed	-	7/17/18	25 Ea	0 Ea 25x	25 Ea	\$0.3288/Ea JUL 18 2018	\$8.22 mel
23		93190A373	1/pk	Hex Bolt 316 Stainless Steel Hex Head Screw 1/pack	Firmed	-	7/17/18	45 Ea	0 Ea 45x	45 Ea	\$3.84/Ea JUL 18 2018	\$172.80 mel
24		93800A400	100/pk	Hex Nut, Nylon, M3 x 0.5	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.1212/Ea JUL 18 2018	\$12.12 mel
25		94355A227	50/pk	TBD 18-8 Stainless Steel Flat-Tip Set Screw	Firmed	-	7/17/18	50 Ea	0 Ea 50x	50 Ea	\$0.096/Ea JUL 18 2018	\$4.80 mel
26		95245A178	1/pk	Threaded Rod, M20 X 1.5mm X 100mm	Firmed	-	7/17/18	2 Ea	0 Ea 2x	2 Ea	\$37.08/Ea JUL 18 2018	\$74.16 mel
27		97431A310	100/pk	Snap Ring receive ea	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.0534/Ea JUL 18 2018	\$5.34 mel
28		98543A114	100/pk	E-Clip, Ø7-9mm Shaft	Firmed	-	7/17/18	100 Ea	0 Ea 100x	100 Ea	\$0.0545/Ea JUL 18 2018	\$5.45 mel
29		98750A483	1/pk	Threaded Rod 1/2-20 UNF x 4" receive ea	Firmed	-	7/17/18	10 Ea	0 Ea 10x	10 Ea	\$2.25/Ea JUL 18 2018	\$22.50 mel
30		C2-9-3	92185A196 25/pk	Clock Spring Cover Screw	Firmed	-	7/17/18	200 Ea	0 Ea 200x	200 Ea	\$0.1356/Ea JUL 18 2018	\$27.12 mel
31		M6061T6TR1.5X1.0W125	6546K999	6061-T6 Rect Tube 1.5 X 1.0 X .125W : MATERIAL: 6061-T6 OR 6061- T651/T6510/T6511/T62 RECTANGULAR TUBING PER AMS- QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A- 200/8 OR AMS 4160 receive ft	Firmed	-	7/17/18	24 ft	0 ft 24ft	24 ft	\$5.8333/ft 16/07/20	\$140.00
32		SWA3-700	9529K15 100/per pk	Ball Bearing	Firmed	-	7/17/18	500 Ea	0 Ea 500x	500 Ea	\$0.1056/Ea JUL 18 2018	\$52.80 mel
33		91732A236	5/pk	Helicoll Insert	Firmed	-	7/17/18	5 Ea	0 Ea 5x	5 Ea	\$1.104/Ea JUL 18 2018	\$5.52 mel
Grand Total:											\$1,676.86	

Order Notes

CL

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 DOCUMENT SPECIAL REQUIREMENTS

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 7/12/18 3:23 PM dart.lavoie.chantal



200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Purchase Order
PO040472

Order Placed By
Chantal Lavoie

McMaster-Carr Number
6233053-04

Page 1 of 3

07/18/2018

Line	Product	Ordered	Shipped
31	6546K999 Extruded 6061-T6 Aluminum Rectangle Tubing, , 1" X 1.5" X .125" Wall, 6' Length with Mtr, ** AMS-Qq-A-225/8 or AMS 4117/4128/4115/4116 **, ** or Per AMS-Qq-A200/8 or AMS 4160 ** <i>HT: 23075640 # as marked on material At</i>	24 Feet	24

Shipped separately from our Cleveland warehouse on 07/13

1	90133A017 Oil-Resistant Neoprene Rubber Sealing Washer for Number 10 Screw Size, 0.17" ID, 0.5" OD	1 Pack	1
2	59915K274 Corrosion-Resistant Ball Joint Rod End, 3/8"-24 Thread, Right Hand	20 Each	20
3	92865A221 Medium-Strength Grade 5 Steel Hex Head Screw, Zinc-Plated, 3/8"-24 Thread Size, 2" Long, Fully Threaded	2 Packs	2
4	2044T47 Round Cut-to-Length Shipping Tube, 1.09" ID, 48" Inside Length	4 Each	4
5	2044T67 End Caps for 1.09" ID Round Cut-to-Length Shipping Tube	2 Packs	2
7	3896T31 Wire Rope Compression Sleeve for 1/16" Rope Diameter - Not for Lifting	10 Packs	10
8	5051K431 F1 Felt Strip, Firm, Adhesive Backing, 10 Feet Long, 1" Wide, 1/16" Thick	1 Each	1
9	5051K481 F1 Felt Strip, Firm, Adhesive Backing, 10 Feet Long, 1-1/2" Wide, 1/16" Thick	1 Each	1
10	51495K116 Nickel-Plated Brass Push-to-Connect Tube Fitting for Air, Straight Connector, for 1/2" Tube OD	35 Each	35
11	75935A23 3M VHB Foam Tape - Adhesive on Both Sides, #4950, 1" Width x 5 Yards Length, .045" Thick	1 Each	1
12	90128A263 Zinc-Plated Alloy Steel Socket Head Screw, M6 x 1 mm Thread, 16 mm Long	1 Pack	1
13	90592A028 Steel Hex Nut, Medium-Strength, Class 8, M12 x 1.75 mm Thread	1 Pack	1

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Purchase Order
PO040472

Order Placed By
Chantal Lavoie

McMaster-Carr Number
6233053-04

Page 2 of 3

07/18/2018

Line	Description	Ordered	Shipped
14	91247A593 Medium-Strength Grade 5 Steel Hex Head Screw, Zinc-Plated, 5/16"-18 Thread, 2-1/2" Long, Partially Threaded	1 Pack	1
15	91255A626 Button Head Hex Drive Screw, Black-Oxide Alloy Steel, 3/8"-16 Thread, 1-1/4" Long	1 Pack	1
16	91585A829 18-8 Stainless Steel Dowel Pin, 8mm Diameter, 40mm Long	11 Packs	11
17	91590A117 External Retaining Ring, 15-7 PH Stainless Steel, for 3/8" OD	5 Packs	5
18	91595A034 Alloy Steel Dowel Pin, 2mm Diameter, 20mm Long	1 Pack	1
19	91595A142 Alloy Steel Dowel Pin, 3mm Diameter, 40mm Long	7 Packs	7
20	92373A251 18-8 Stainless Steel Slotted Spring Pin, 3/16" Diameter, 1" Long	2 Packs	2
21	9263K173 Chemical-Resistant Viton Fluoroelastomer O-Ring, 2 mm Wide, 9 mm ID	1 Pack	1
22	92905A225 Alloy Steel Extended-Tip Set Screws, M6 x 1 mm Thread, 30 mm Long	1 Pack	1
24	93800A400 Nylon Hex Nut, M3 x 0.5 mm Thread, Off-White	1 Pack	1
25	94355A227 18-8 Stainless Steel Flat-Tip Set Screws, 10-24 Thread, 1/2" Long	1 Pack	1
26	95245A178 Grade B7 Medium-Strength Steel Threaded Rod, M20 x 1.5 mm Thread Size, 100 mm Long	2 Each	2
27	97431A310 Side-Mount External Retaining Ring, Black-Phosphate Steel, for 5/16" OD	1 Pack	1
28	98543A114 Side-Mount External Retaining Ring, Black-Phosphate Steel, for 7-9 mm OD	1 Pack	1

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Purchase Order
PO040472

Order Placed By
Chantal Lavoie

McMaster-Carr Number
6233053-04

Page 3 of 3

07/18/2018

Line	Description	Ordered	Shipped
29	98750A483 Grade B7 Medium-Strength Steel Threaded Rod, 1/2"-20 Thread Size, 4" Long	10 Each	10
30	92185A196 Super-Corrosion-Resistant 316 Stainless Steel Socket Head Screw, 8-32 Thread Size, 5/8" Long	8 Packs	8
32	9529K15 Hardened 440C Stainless Steel Ball, 1/4" Diameter	5 Packs	5
33	91732A236 18-8 Stainless Steel Helical Insert, 1/2"-20 Right-Hand Thread, 3/4" Long	1 Pack	1

Shipped separately from our New Jersey warehouse on 07/13

23	93190A373 Super-Corrosion-Resistant 316 Stainless Steel Hex Head Screw, 3/8"-24 Thread Size, 3" Long, Fully Threaded	45 Packs	45
----	-----------------------------------------------------------------------------------------------------------------------------	--------------------	-----------

Expected to ship

6	30125T403 Closed-Body Aluminum Turnbuckle, Hook-to-Hook, 90 lbs. Capacity	12 Each	12 Jul 18-25
---	----------------------------------------------------------------------------------	-------------------	---------------------

DART

DESIGN #	DRAWN BY #	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CP	APPROVED #	DRAWING NO. M6061T6 TR	REV. A SHEET 1 OF 1
DATE 02.12.04		TITLE 6061-T6 RECTANGULAR TUBING	SCALE NTS
A	02.12.04	NEW ISSUE	

RELEASED
02.12.04 #

PURCHASE MATERIAL: 6061-T6 (OR 6061-T6S1/T6S10/T6S11/T6S2) RECTANGULAR TUBING
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR
PER AMS-QQ-A-200/8 (OR AMS 4160)

PART NUMBER:

M6061T6 TR | H.H | x | B.B | W | TTT |
| HEIGHT | | WIDTH | | WALL |

WHERE H.H = HEIGHT IN INCHES
B.B = WIDTH IN INCHES
TTT = WALL THICKNESS IN MIL

EG. 4" x 2" x 0.125" WALL = M6061T6 TR 4.0 x 2.0 W125

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 TR 1.5x10x125
 DATE: 18/07/25

PO / BATCH NO.: P0040472/5095912

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 24'
 QUANTITY INSPECTED: 24'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .125"
 THICKNESS RECEIVED: .125"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	AMS-QQ-A-200/8
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	
PHOTO REQUIRED	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	P0040472
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u>	SIGNED OFF BY: _____
DATE: <u>18/07/25</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

sapa:

Sapa Industrial Extrusions
1550 KIRBY LANE
SPANISH FORK, UT
84660-1349

Sapa Extrusions Inc., a Subsidiary of Sapa AB

Invoice To Customer

RYERSON PROCUREMENT CORP
PO BOX 91601

LUBBOCK, TX - 79490

Ship To Customer

RYERSON PROCUREMENT CORP
2580 TECHNOLOGY DR

ELGIN, IL - 60123

Certified Inspection Report

Sales Order Number 1101335960
Line No. 1
Customer P/O 4500859471-1

Cert Number SAPA2815686
Cert Creation Date 10-FEB-18
Page 1 of 2
Cert Print Date 10-FEB-18

Quantity Shipped	Date Shipped	Item Description	Specification
1146	10-FEB-18	Extruded Hollow Rect. Tube	ASTM B221 REV 14
B/L	Item No.	1.000 H x 1.500 W x 0.125 WALL	ASME SB221 REV 09
902863	CR03993837	72.5 IN L N	AMS-QQ-A-2008 REV A
Delivery Id	Item No. Rev	FIN M-MILL	
-4973941		W/F .661 F 14 CS 1.8	
Customer Part No.		6061/T6	
300038850		Marking CONTINUOUS	

Applicable Specifications, Revisions and Exceptions

TAG: MCMASTER

COMPOSITION NOTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on this certified inspection report. Remainder is Aluminum.

Legal Statement

We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected in accordance with, and has been found to meet, the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the composition and mechanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without prior written approval of our Quality Assurance Dept.

Signature And Title



Steven Tanner
Quality Manager

10-FEB-18

Quantities per Lot / Packages

Package Number	Quantity	UOM	Weight
G14-PKG2024915	144	PCS	Gross 579 Net 573
G14-PKG2024916	144	PCS	Gross 579 Net 573

Lot Number

23075640
23075640

Composition Limits

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn
6061	Min 0.40 Max 0.80	Min --- Max 0.70	Min --- Max 0.15	Min --- Max 0.80	Min --- Max 1.20	Min --- Max 0.35	Min --- Max 0.25

sapa:

Sapa Industrial Extrusions
1530 KIRBY LANE
SPANISH FORK, UT
84600-1349

Certified Inspection Report

Cert Number
SAPA2815686
Cert Creation Date
10-FEB-18

Page
2 of 2
Cert Print Date
10-FEB-18

Sales Order Number
110135960
Customer P/O
4500859471-1
Line No. 1

Alloy	Ti		Others Each		Others Total	
	Min	Max	Min	Max	Min	Max
6061		0.15		0.05		0.15

Composition Results

Heat / Cast	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others Each	Others Total
S18070208	0.68	0.27	0.20	0.06	0.91	0.04	0.02	0.02		

Mechanical Property - Test Limits

Test Type		UTS - L		TYS - L		EL-4D-Long	
UOM		KSI		KSI		PCT	
# of Tests		MIN Value		MAX Value		MIN Value	
Lot Number		44.8		44.9		8.5	
23075640						14.0	

Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements.
Yield strength has been determined by the 0.2% offset method
All mill finish alloys produced at Sapa Extrusions Inc comply with Directive 2011/65/EU (RoHS 2) with the exception of 6262 alloy
In accordance with EN 10204 Inspection Certificate Type 3.1
Melted in the USA or Qualifying Countries (as defined in Defense Federal Acquisition Regulation Supplement (DFARS) Section 225.872-1)
Extruded in the United States
Manufactured in the United States